

# PRODUCT CATALOG

PERSONAL PROTECTIVE  
& TRAFFIC EQUIPMENT

---



TECHNO

*EXCELLENT*

**NOVAX**  
ELECTRICAL SAFETY

Best-Q

# TABLE OF CONTENTS

	<b>Eye Protection</b> .....	<b>1</b>
	<b>Face Protection</b> .....	<b>4</b>
	<b>Respiratory Protection</b> .....	<b>5</b>
	<b>Hand Protection</b> .....	<b>6</b>
	<b>Foot Protection</b> .....	<b>8</b>
	<b>Floating Equipment</b> .....	<b>8</b>
	<b>Personal Fall Protection System</b> .....	<b>9</b>
	<b>Lifting and Cargo Protection</b> .....	<b>12</b>
	<b>Sign</b> .....	<b>14</b>
	<b>Protective Apparels</b> .....	<b>15</b>
	<b>Fire Fighting Protection</b> .....	<b>20</b>
	<b>Scotlight</b> .....	<b>22</b>
	<b>Traffic and Road Safety</b> .....	<b>23</b>
	<b>Security Equipment</b> .....	<b>29</b>



# EYE PROTECTION



**CE**  
EN 166:2001

**ANSI**  
American National  
Standards Institute  
Z87.1-2010



**0052 B**

**Safety Eyewear**

Lens Colour : Clear  
 Lens Material : Polycarbonate  
 Anti Fog :   
 Anti Scratch :   
 UV Protection : 99,90%  
 Standard : ANSI Z87.1-2010



**0053**

**Safety Eyewear**

Lens Colour : Smoke  
 Lens Material : Polycarbonate  
 Anti Fog :   
 Anti Scratch :   
 UV Protection : 99,90%  
 Standard : ANSI Z87.1-2010



**0193-1**

**Safety Eyewear**

Lens Colour : Clear  
 Lens Material : Polycarbonate  
 Anti Fog :   
 Anti Scratch :   
 UV Protection : 99,90%  
 Standard : ANSI Z87.1-2010



**0193-2**

**Safety Eyewear**

Lens Colour : Smoke  
 Lens Material : Polycarbonate  
 Anti Fog :   
 Anti Scratch :   
 UV Protection : 99,90%  
 Standard : ANSI Z87.1-2010



**0193-3**

**Safety Eyewear**

Lens Colour : Clear Mirror  
 Lens Material : Polycarbonate  
 Anti Fog :   
 Anti Scratch :   
 UV Protection : 99,90%  
 Standard : ANSI Z87.1-2010





**0193-4**

**Safety Eyewear**

Lens Colour : Smoke Mirror  
 Lens Material : Polycarbonate  
 Anti Fog :   
 Anti Scratch :   
 UV Protection : 99,90%  
 Standard : ANSI Z87.1-2010



**0195**

**Safety Eyewear**

Lens Colour : Smoke  
 Lens Material : Polycarbonate  
 Anti Fog :   
 Anti Scratch :   
 UV Protection : 99,90%



**0381-1**

**Safety Eyewear**

Lens Colour : Clear  
 Lens Material : Polycarbonate  
 Anti Fog :   
 Anti Scratch :   
 UV Protection : 99,90%  
 Standard : ANSI Z87.1-2010



**0381-2**

**Safety Eyewear**

Lens Colour : Smoke  
 Lens Material : Polycarbonate  
 Anti Fog :   
 Anti Scratch :   
 UV Protection : 99,90%  
 Standard : ANSI Z87.1-2010

**0453**

**Safety Goggle**

Lens Colour : Clear  
 Lens Material : Polycarbonate  
 Frame Material : PVC  
 Anti Fog & UV Protection :   
 Anti Scratch :   
 Chemical Splash Impact Resistant : Yes  
 Standard : EN 166:2001





## 0452 Faceshield and Visor




Faceshield Material : Polyvinyl Chloride  
 Visor Material : Polypropylene  
 Alumunium Bound :   
 Lock System : Fastrack  
 Height : 8"  
 Width : 15½"  
 Thickness : 1 mm  
 Standard : EN 166:2002-04

Available Color



Fastrack



Alumunium  
Bound

## 0454 Faceshield Isolation Mask



Material Faceshield : PET  
 Headband : Spon  
 Height : 8½"  
 Width : 13"  
 Thickness : 0,3 mm  
 Size : Universal


Available Color





# RESPIRATORY PROTECTION

# TECHNO



**Static Filter**  
Serat dengan material khusus untuk menangkap micro partikel

**Sponges Filter**  
Mencegah masuknya bakteri debu & partikel penyebab alergi

**Carbon Active**  
Mengadsorpsi gas dan senyawa-senyawa kimia yang berbahaya bagi pernafasan.

Gambar : Lapisan Cartridge RC 203



**253 A Cartridge RC 203**

Housing : ABS Filter  
Media : Activated Carbon



**0257 - Half Face Single Respirator**

Material : TPR  
Colour : Black  
Filter Holder : 1  
Size : Universal



**0348 - Half Face Double Respirator**

Material : TPR  
Colour : Black  
Filter Holder : 2  
Size : Universal



# RESPIRATORY PROTECTION

# 江波 JIANGBO



**0250 Breathing Apparatus**

Cylinder Volume : 5 L  
Cylinder Pressure : 30 Mpa  
Max Air Volume of Cylinder : 1500 L  
Air Supply Flow : ≥ 300 L  
Warning Pressure : 5 - 6 Mpa  
Use Time : 50 Min  
Apparatus Weight : ≤ 14 kg  
Standard :  
- SOLAS 1974  
- IMO Res. MSC.327 (90)  
- IMO Res. MSC.339 (91)  
- EN 137:2006  
- EN 136:1998





# HAND PROTECTION



0182

**Alumunized  
Gloves 5 Parts**



0180

**Alumunized  
Combination 5 Parts**



0181

**Alumunized  
Gloves 3 Parts**

Article	Material	Model	Flame Resistant	Heat Resistant	Length	Lining	Size
0180	Aramid & Leather	Alumunized Gloves	☑	☒	14"	Cotton Fleece	Universal
0181	Aramid				15"		
0182							



## PVC Gloves

Article	Material	Color	Length	Lining	Size
002	PVC	■	16"	Cotton	Universal
003			18"		
0090			14"		





## HAND PROTECTION



0214  
703 Nitrile Solve 13"



0215  
707L Nitrile Dex 12"

Article	Material		Length	Linning	Thickness	Size	Standard
0214	Nitrile	■	13"	Cotton Flock	0,38 mm	8   9   10	EN 388:2003 EN 374-2:2003
0215		■	12"		0,23 mm		EN 374-2 EN 374-2003 EN 388:2003 2002/72 EC



## HAND PROTECTION



### Electric Gloves

Article	Class	Material	Proof-Test Voltage		Max. Use Voltage		Length	Size
			AC	DC	AC	DC		
0294	00	Natural Rubber	2.500	10.000	500	750	360 mm	8, 9, 10
0296	0		5.000	20.000	1.000	1.500	360 mm	8, 9, 10
0297	1		10.000	40.000	7.500	11.250	360 mm	8, 9, 10
0298	2		20.000	50.000	17.000	25.500	360 mm	8, 9, 10
0299	3		30.000	60.000	26.500	39.750	410 mm	8, 9, 10
0459	4		40.000	70.000	36.000	54.000	410 mm	9, 10

Standard :  
ASTM D120 | EN 60903



Standard :  
ASTM D1051 - EN 60984

### Insulating Sleeves

Article	Class	Material	Proof-Test Voltage		Max. Use Voltage		Size
			AC	DC	AC	DC	
0460	2	Natural	20.000	50.000	17.000	25.500	S, M,
0461	3	Rubber	30.000	60.000	26.500	39.750	L, XL



# FOOT PROTECTION



**0372**

Material : Natural Rubber  
Impact Resistant : 200 Joule  
Toe Cap : Steel  
Compression Resistant : 15.000 Newton  
Slip Resistant :   
Penetration Resistant :   
Oil Resistant :   
Size : 40 | 41 | 42 | 43 | 44  
Standard : EN ISO 20345, EN 50321,  
CSA Z195, ASTM F1117,  
ASTM F-2413

**Dielectric Boots Class**

Proof-Test Voltage		Max. Use Voltage	
AC	DC	AC	DC
20.000	50.000	17.000	25.500



# FLOATING EQUIPMENT



**0390**  
**Work Vest**

Material : PVC Foam  
Buoyant Force : 17,5 LBS  
Size : Universal

Available Color







# FULL BODY HARNESS

**0257 A**

**Full Body Harness**

- Webbing Material : Polyester 50 mm
- Lanyard Material : Polypropylene
- Weight Capacity : 136 kg
- Working Length : 1,8 m
- Big Hook Capacity : 20 kn
- Chest Strap :
- Lanyard :
- Hook : Double
- Shock Absorber :
- Size : Universal



**0261**

**Full Body Harness**

- Webbing Material : Polyester 50 mm
- Lanyard Material : Polypropylene
- Weight Capacity : 136 kg
- Working Length : 1,8 m
- Big Hook Capacity : 20 kn
- Chest Strap :
- Lanyard :
- Hook : Single
- Shock Absorber :
- Size : Universal

**0373**

**Full Body Harness**

- Webbing Material : Polyester 50 mm
- Lanyard Material : Polypropylene
- Weight Capacity : 136 kg
- Working Length : 1,8 m
- Big Hook Capacity : 20 kn
- Chest Strap :
- Lanyard :
- Hook : Single
- Shock Absorber :
- Size : Universal





# PERSONAL FALL PROTECTION

**EXCELLENT**



**0374**

## Full Body Harness

Webbing Material	: Polyester 50 mm
Lanyard Material	: Polypropylene
Weight Capacity	: 136 kg
Working Length	: 1,8 m
Big Hook Capacity	: 20 kn
Chest Strap	: <input type="checkbox"/>
Lanyard	: <input checked="" type="checkbox"/>
Hook	: Double
Shock Absorber	: <input type="checkbox"/>
Size	: Universal



**0375**

## Full Body Harness

Webbing Material	: Polyester 50 mm
Lanyard Material	: Polypropylene
Weight Capacity	: 136 kg
Working Length	: 1,8 m
Absorber Length	: 1,75 m
Big Hook Capacity	: 20 kn
Chest Strap	: <input checked="" type="checkbox"/>
Lanyard	: <input checked="" type="checkbox"/>
Hook	: Double
Shock Absorber	: <input checked="" type="checkbox"/>
Size	: Universal



**0379**

## Full Body Harness

Webbing Material	: Polyester 50 mm
Lanyard Material	: Polyester
Weight Capacity	: 136 kg
Working Length	: 1,8 m
Absorber Length	: 1,75 m
Big Hook Capacity	: 20 kn
Chest Strap	: <input checked="" type="checkbox"/>
Lanyard	: <input checked="" type="checkbox"/>
Hook	: Single
Shock Absorber	: <input checked="" type="checkbox"/>
Size	: Universal



**0380**

## Full Body Harness

Webbing Material	: Polyester 50 mm
Lanyard Material	: Polyester
Weight Capacity	: 136 kg
Working Length	: 1,8 m
Absorber Length	: 1,75 m
Big Hook Capacity	: 20 kn
Chest Strap	: <input checked="" type="checkbox"/>
Lanyard	: <input checked="" type="checkbox"/>
Hook	: Double
Shock Absorber	: <input checked="" type="checkbox"/>
Size	: Universal





# PERSONAL FALL PROTECTION

**EXCELLENT**



## Retractable Lifeline

Article	: 0471	0462	0463
Working Length	: 6 m	10 m	15 m
Wire Material	: Galvanis	Galvanis	Galvanis
Wire Diameter	: 4,5 mm	4,5 mm	4,5 mm
Weight Capacity	: 100kg	100kg	100kg
Standard	: EN 360:2002	EN 360:2002	EN 360:2002



**0376**

## Lanyard Single Hook

Working Length	: 1,8 m
Absorber	: <input type="checkbox"/>
Extended Working Length	: <input type="checkbox"/>
Number of Line	: Single
Type of Lanyard	: Rope
Size	: 16 mm



**0377**

## Lanyard Double Hook

Working Length	: 1,8 m
Absorber	: <input type="checkbox"/>
Extended Working Length	: <input type="checkbox"/>
Number of Line	: Double
Type of Lanyard	: Rope
Size	: 16 mm



**0378**

## Double Hook with Absorber

Working Length	: 1,8 m
Absorber	: <input checked="" type="checkbox"/>
Extended Working Length	: <input checked="" type="checkbox"/>
Absorber Length	: 1,75 m
Number of Line	: Double
Type of Lanyard	: Rope
Size	: 16 mm



**0203**

## Industrial Safety Belt

Webbing Material	: Nylon
Belt Width	: 50 mm
Working Length	: 115 cm
Retractable	: <input type="checkbox"/>
Tool Bag	: <input checked="" type="checkbox"/>
Buckle	: Standard
D-Ring	: Double
Hook	: Swivel Snap Hook
Rope Grab	: <input type="checkbox"/>
Size	: Universal



# PERSONAL FALL PROTECTION

# HARU®



## LPSBR 0309 Safety Belt Retractable

- Webbing Material : Polyester
- Belt Width : 50 mm
- Working Length : 115 cm
- Retractable :
- Toolbag :
- Buckle : Automatic
- Hook : Single Big Hook
- Rope Grab :
- Size : Universal



## LPSBL 0310 Safety Belt Linesman

- Webbing Material : Nylon
- Belt Width : 50 mm
- Working Length : 220 cm
- Retractable :
- Toolbag :
- Buckle : Slide Buckle
- Hook : Swivel Snap Hook
- D-Ring : Double
- Rope Grab :
- Size : Universal



# LIFTING & CARGO PROTECTION

# EXCELLENT

## Webbing Sling 1 Ton



- Material : Polyester
- Flat Polyester Sling Type : Double Ply
- Safety Factor : 6:1
- Standard : EN1492-1/A1:2008

Article	0382	0383	0384	0385	0386	0387	0388	0389	0451
Working Length (m)	2	3	4	5	6	7	8	9	10

## Webbing Sling 2 Ton



- Material : Polyester
- Flat Polyester Sling Type : Double Ply
- Safety Factor : 6:1
- Standard : EN1492-1/A1:2008

Article	0391	0392	0393	0394	0395	0396	0397	0398	0399
Working Length (m)	2	3	4	5	6	7	8	9	10





### Webbing Sling 3 Ton



Material : Polyester  
 Flat Polyester Sling Type : Double Ply  
 Safety Factor : 6:1  
 Standard : EN1492-1/A1:2008

Article	0400	0401	0402	0403	0404	0405	0406	0407	0408
Working Length (m)	2	3	4	5	6	7	8	9	10

### Webbing Sling 4 Ton



Material : Polyester  
 Flat Polyester Sling Type : Double Ply  
 Safety Factor : 6:1  
 Standard : EN1492-1/A1:2008

Article	0409	0410	0411	0412	0413	0414	0415	0416	0417
Working Length (m)	2	3	4	5	6	7	8	9	10

### Webbing Sling 5 Ton



Material : Polyester  
 Flat Polyester Sling Type : Double Ply  
 Safety Factor : 6:1  
 Standard : EN1492-1/A1:2008

Article	0418	0419	0420	0421	0422	0423	0424	0425	0426
Working Length (m)	2	3	4	5	6	7	8	9	10

### Webbing Sling 6 Ton



Material : Polyester  
 Flat Polyester Sling Type : Double Ply  
 Safety Factor : 6:1  
 Standard : EN1492-1/A1:2008

Article	0427	0428	0429	0430	0431	0432	0433	0434
Working Length (m)	3	4	5	6	7	8	9	10

### Webbing Sling 8 Ton



Material : Polyester  
 Flat Polyester Sling Type : Double Ply  
 Safety Factor : 6:1  
 Standard : EN1492-1/A1:2008

Article	0435	0436	0437	0438	0439	0440	0441	0442
Working Length (m)	3	4	5	6	7	8	9	10



## LIFTING & CARGO PROTECTION

**EXCELLENT**

### Webbing Sling 10 Ton



Material : Polyester  
 Flat Polyester Sling Type : Double Ply  
 Safety Factor : 6:1  
 Standard : EN1492-1/A1:2008

Article	0443	0444	0445	0446	0447	0448	0449	0450
Working Length (m)	3	4	5	6	7	8	9	10



## LIFTING & CARGO PROTECTION

**TECHNO**



### Ratchet Tie Down

Article	Material	Color	Width	Length
007	Polyester		1"	4 m
008			2"	10 m



## SIGN



**0032**

### Warning Board

Material : Polypropylene  
 Color :   
 Text : Caution Wet Floor





## RAIN COAT

100% Waterproof


Thick and Elastic

Comfortable to Wear



### V 919


### PVC Rain Coat B/C

Material : PVC  
 Colour :   
 Model : Rain Jacket & Pants  
 Size : Universal  
 Pocket : 2  
 Closure Type : Zipper & Snap




### V 917

### PVC Rain Coat Terusan

Material : PVC  
 Colour :   
 Model : Overcoat  
 Size : Universal  
 Pocket : 2  
 Closure Type : Snap

### BX 10-001

### Rain Coat Ponco

Material : PVC  
 Colour :   
 Model : Ponco  
 Size : Universal









# PROTECTIVE APPARELS

# TECHNO



**0030 (OR/HJ)**




**Safety Vest**

Material : Polyester  
 Colour :    
 Pocket for Tools :   
 Closure Type : Adhesive  
 Scotlight :    
 Size : Universal



**0038 (OR/HJ)**

**Safety Vest**

Material : Polyester  
 Colour :    
 Pocket for Tools :   
 Closure Type : Adhesive  
 Scotlight :   
 Size : Universal





**0034 (OR/HJ)**

**Safety Vest**

Material : Mesh Polyester  
 Colour : ■ | ■  
 Pocket for Tools : ×  
 Closure Type : Adhesive  
 Scotlight : ■ | ■  
 Size : Universal



**0051 (OR/HJ)**

**Safety Vest**

Material : Polyester  
 Colour : ■ | ■  
 Pocket for Tools : ×  
 Closure Type : Adhesive  
 Scotlight : ■ | ■  
 Size : Universal



**0060 (OR/HJ)**

**Safety Vest**

Material : Mesh Polyester  
 Colour : ■ | ■  
 Pocket for Tools : ×  
 Closure Type : Adhesive  
 Scotlight : ■ | ■  
 Size : Universal



**0066 (OR/HJ)**



**Safety Vest**

Material : Polyester  
 Colour : ■ | ■  
 Pocket for Tools : ×  
 Closure Type : Adhesive  
 Scotlight : ■  
 Size : Universal



**0155 (OR/HJ)**



**Safety Vest**

Material : Polyester  
 Colour :   
 Pocket for Tools : 4  
 Closure Type : Zipper  
 Scotlight :   
 Size : Universal



**0156 (OR/HJ)**



**Safety Vest**

Material : Polyester  
 Colour :   
 Pocket for Tools : 3  
 Closure Type : Zipper  
 Scotlight :   
 Size : Universal



**0158 (OR/HJ)**



**Safety Vest**

Material : Polyester  
 Colour :   
 Pocket for Tools : 4  
 Closure Type : Zipper  
 Scotlight :   
 Size : Universal



**0189 (OR/HJ)**

**Safety Vest**

Material : Mesh Polyester  
 Colour :   
 Pocket for Tools : 3  
 Closure Type : Zipper  
 Scotlight :   
 Size : Universal





**0191 (OR/HJ)**

**Safety Vest**

Material : Polyester  
 Colour : ■ | ■  
 Pocket for Tools : 3  
 Closure Type : Zipper  
 Scotlight : ■ | ■ | ■  
 Size : Universal



**0238 (OR/HJ)**

**Safety Vest**

Material : Mesh Polyester  
 Colour : ■ | ■  
 Pocket for Tools :   
 Closure Type : Adhesive  
 Scotlight : ■  
 Size : Universal



**0371 (OR/HJ)**

**Safety Vest**

Material : Polyester  
 Colour : ■ | ■  
 Pocket for Tools :   
 Closure Type : Buckle  
 Scotlight : ■  
 Size : Universal



**0292 (OR/HJ)**

**Back Support**

Material : Spandex  
 Colour : ■  
 Width : 8¾"  
 Suspenders : 1½" Elastic Rope  
 Size : S | M | L | XL | XXL





PREPARED FOR DANGER,



PROTECTED FROM FIRE.

0073

### Alumunized Protective Apparel Set

- Material : Alumunized
- Flame Resistant :
- Heat Resistant :
- Set : Pants, Jacket, Hand Glove, Shoes Cover
- Size : Universal



0073 C

### Alumunized Pants

- Material : Alumunized
- Flame Resistant :
- Heat Resistant :
- Size : Universal





**0073 B**

**Alumunized Jacket**

Material : Alumunized  
 Flame Resistant :   
 Heat Resistant :   
 Closure Type : Hook  
 Chest Size : 24,2"  
 Size : Universal



**0073 H**

**Alumunized Helmet**

Material : Alumunized Carbon  
 Flame Resistant :   
 Heat Resistant :   
 Size : Universal



**0073 SC**

**Alumunized Shoes Cover**

Material : Alumunized  
 Flame Resistant :   
 Heat Resistant :   
 Size : Universal



**0256**

**Alumunized Apron**

Material : Alumunized  
 Flame Resistant :   
 Heat Resistant :   
 Width : 28,3"  
 Length : 39,1"  
 Size : Universal

**0260**

**Alumunized Sleeve**

Material : Alumunized  
 Flame Resistant :   
 Heat Resistant :   
 Width : 7,7"  
 Length : 21,9"  
 Size : Universal



# FIRE FIGHTING PROTECTION

# TECHNO



## Fire Blanket

Article	Material	Flame Resistant	Heat Resistant	Size	Thickness
0159	Aramid	✓	✗	1,2 m x 1,8 m	0,43 mm
0160				1,2 m x 1,2 m	
0161				1,8 m x 1,8 m	



## Fire Blanket Roll

Article	Material	Flame Resistant	Heat Resistant	Size	Thickness
0456	Aramid	✓	✗	1,2 m x 50 m	0,3 mm
0457				1,2 m x 100 m	0,1 mm



# SCOTLIGHT

# TECHNO

## Scotlight



Article	Material	Color	Width	Length
0039 HJ	PVC	Yellow Lime	1"	50 m
0039 OR		Orange	1"	
0039 S		Silver	1"	
0040 HJ		Yellow Lime	2"	
0040 OR		Orange	2"	
0040 S		Silver	2"	

## Scotlight



Article	Color	Width	Length
0044 HJ	Yellow Silver Yellow	2"	50 m
0044 OR	Orange Silver Orange	2"	
0311 HJ	Yellow Silver Yellow	1"	
0311 OR	Orange Silver Orange	1"	

## Scotlight



Article	Color	Width	Length
0041	Silver	2"	100 m
0042	Silver	1"	





**0154**





**Traffic Cone**

Material : PVC  
 Height : 45 cm  
 Weight : 1 kg  
 Top Diameter : 3,5 cm  
 Base Color :   
 Cone Color : 



**0165**





**Traffic Cone**

Material : PVC  
 Height : 70 cm  
 Weight : 2 kg  
 Top Diameter : 3,5 cm  
 Base Color :   
 Cone Color :   
 Optional Scotlight Color :  | 



**0166**



**Traffic Cone**

Material : PVC  
 Height : 75 cm  
 Weight : 2,5 kg  
 Top Diameter : 4 cm  
 Base Color :   
 Cone Color :   
 Optional Scotlight Color :  | 



**0198**

**Foldable Traffic Cone**

Material : Polypropylene  
 Height : 70 cm  
 Weight : 0,765 kg  
 Base Color :   
 Cone Color : 



**0472**

**Traffic Cone**

Material : PVC  
 Height : 70 cm  
 Weight : 1,7 kg  
 Base Color :   
 Cone Color :   
 Optional Scotlight Color :  | 

**Stick Cone**



**0248**

**0249**

**0272**


**0287**

Article	Model	Material	Height	Weight	Base Diameter	Cone Color	Base Color
0248	Dynabolt	PVC	60 cm	0,615 kg	20 cm		
0249	Dynabolt	PVC	80 cm	0,68 kg	20 cm		
0272	Rubber	Polypropylene	113 cm	6 kg	38 cm		
0287	Dynabolt	PVC	80 cm	1,24 kg	22 cm		



**0275**

**Strobe Lights**

Model : Solar Power  
 Shell Material : ABS  
 Colour :   
 Power Source : Solar  
 Weight : 380 gr





**0267 H**

**Speed Bump**

Material : Rubber  
 Colour : ■  
 Length : 35 cm  
 Width : 25 cm  
 Height : 5 cm  
 Number of Holes : 2



**0267 H**

**Speed Bump**

Material : Rubber  
 Colour : ■  
 Length : 35 cm  
 Width : 25 cm  
 Height : 5 cm  
 Number of Holes : 2



**0290**

**Speed Bump**

Material : Rubber  
 Colour : ■ ■  
 Length : 35 cm  
 Width : 50 cm  
 Height : 5 cm  
 Number of Holes : 4



**0324**

**Wheel Stoper**

Material : Rubber  
 Colour : ■ ■  
 Dimension : 25,5 cm x 15,5 cm x 18,5 cm



**0325**

**Wall Protector**

Material : Rubber  
 Colour : ■ ■  
 Dimension : 81 cm x 11,5 cm x 10,5 cm



**0326**

**Wall Protector**

Material : Rubber  
 Colour : ■ ■  
 Dimension : 80 cm x 15,5 cm x 11 cm



## Convex Mirror Outdoor



Article	Lens Material	Back Material	Diameter	Approx Viewing Distance	Viewing Angle
0046 A	Polycarbonate	Plastic Abs	45 cm	5 m	160°
0047 A			80 cm	20 m	
0048 A			60 cm	11 m	
0049 A			100 cm	30 m	
0050			120 cm	35 m	

## Convex Mirror Indoor



Article	Lens Material	Back Material	Diameter	Approx Viewing Distance	Viewing Angle
0046 B	Polycarbonate	Plastic Abs	45 cm	5 m	160°
0047 B			80 cm	20 m	
0048 B			60 cm	11 m	

## Barricade Tape (Yellow/Black)



Article	Material	Color	Width	Length	Adhesive
0111	Polypropylene		3"	300 m	<input type="checkbox"/>
0113				500 m	

## Barricade Tape (Red/White)



Article	Material	Color	Width	Length	Adhesive
0112	Polypropylene		3"	300 m	<input type="checkbox"/>
0121				500 m	





### Traffic Stick

Article	Lamp Type	Flash /Minute	Color	Length	Battery
0013	LED	120	■	52 cm	1,5 V x 2 pcs (D)
0062 B		120		52 cm	1,5 V x 2 pcs (C)
0063		120		40 cm	1,5 V x 2 pcs (C)
0130		240		52 cm	1,5 V x 2 pcs (C)



### Traffic Reflective

Article	Model	Color	Diameter Size	Weight
0163 K	Round Reflective	■	10 cm	40 gr
0163 M		■	10 cm	40 gr



### Bolt-On Guardrail Reflective

Article	Color	Dimension
0327 OR	■	10 cm x 12,5 cm x 8 cm
0327 S	■	



### 0320

### Triangle Reflective

Color : ■  
 Size : 42 cm x 42 cm x 42 cm  
 Weight : 359 gr



## Plastic Chain



Article	Material	Color	Size	Length	Distance Between Colors
0167 M	Polypropylene		6 mm	50 m	-
0167 K			6 mm	50 m	-
0167 B			6 mm	50 m	-
0167 K/H			6 mm	50 m	50 cm
0168 M			8 mm	27 m	-
0168 K			8 mm	27 m	-
0168 B			8 mm	27 m	-
0168 K/H			8 mm	27 m	50 cm





## SECURITY EQUIPMENT

# GARRETT



**969**

**Garret Super Wand**

Width	: 8,3 cm
Thickness	: 4,13 cm
Length	: 42 cm
Operating Frequency	: 95 kHz
Audio Frequency	: 2 kHz
Alarm Mode	: Vibration & Sound
Power Source	: 9 V Standard 60 Hours

**0129**

**Garret Super Scanner**

Width	: 8,3 cm
Thickness	: 4,13 cm
Length	: 42 cm
Operating Frequency	: 95 kHz
Audio Frequency	: 2 kHz
Alarm Mode	: Sound
Power Source	: 9 V Standard 60 Hours



## SECURITY EQUIPMENT

# TECHNO

**538**

**Inspection Mirror**

Color	: ■
Lens Material	: Glass
Black Material	: Polycarbonate
Handle Material	: Steel
Handle Length	: 100 cm
Mirror Diameter	: 25 m



*\*sold separately*



**THINK SAFE  
WORK SAFE  
BE SAFE**



*Contact Person :*

